SAFETY DATA SHEET

CHEMICAL DATA INFORMATION FORM

Date: 9.2.2014

Revision Date: 14.4.2009

1.1.       Identification of the substance or preparation         Trade Name       Softcare Textile Protector         Code       Reach registration number         1.2.       Use of the chemical         The intended uses of the chemical         Protection of fabric	
Softcare Textile Protector Code Reach registration number 1.2. Use of the chemical The intended uses of the chemical	
Code Reach registration number 1.2. Use of the chemical The intended uses of the chemical	
Reach registration number         1.2.       Use of the chemical         The intended uses of the chemical	
1.2.     Use of the chemical       The intended uses of the chemical	
The intended uses of the chemical	
FILLECTION OF LADIC	
Standard industrial classification 812	
Use categories 61	
The chemical can be used by the general public $\square$	
The chemical is used by the general public only	
1.3. Identification of the manufacturer, importer or other undertakin	ng
Manufacturer, importer, other undertaking	.9
Oy Soft P	rotector Ltd
Street address Nupurintie	e 4
Postal code 02820 Es	
Post-office box PL 100	
Postal code 02761 Es	900
Telephone number+358 9 88	•
Telefax +358 9 8	53 7302
Email info@soft	tcare.fi
<b>Y-code</b> 0834157-	1
1.4. Emergency telephone	
1.4. Emergency telephone Your local poisoning center	
2. HAZARDS IDENTIFICATION	
2.1 Classification of the substance or mixture	
According to Regulation (EC) No1272/2008; Flammable liquids (Ca	
Specific target organ toxicity - single exposure (C	Category 3)
According to European Directive 67/548/EEC as amended; Highly f Vapours may cause drowsiness and dizziness.	lammable. Irritating to eyes.
2.2 Label elements	
Pictogram	
Signal word Danger	
H225 Highly flammable liquid and vapour.	
H319 Causes serious eye irritation.	
H336 May cause drowsiness or dizziness.	
P210 Keep away from heat/sparks/open flames/hot su	rfaces No smoking.
P261 Avoid breathing dust/fume/gas/mist/vapours/spra P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for se	ay.

contact lenses, if present and easy to do. Continue rinsing.

F	Highly flammable
Xi	Irritant
R11	Highly flammable.
R36	Irritating to eyes.
R67	Vapours may cause drowsiness and dizziness.
S 7	Keep container tightly closed.
S24/25	Avoid contact with skin and eyes.
S26	In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

## 2.3 Other hazards – none

#### **COMPOSITION/INFORMATION ON INGREDIENTS** 3. **Hazardous ingredients** CAS-No., EC-No., Ingredient Concentration Classification Index-No. 67-63-0 Isopropyl alcohol Flam. Lig. 2; Eye Irrit. 2; STOT SE 3; H225, H319, H336 > 96 % 603-117-00-0 F, Xi, R11 - R36 - R67 123-86-4 n-butyl acetate Flam. Lig. 3; STOT SE 3; H226, H336 < 3 % 607-025-00-1 F. R10 - R66 - R67 not available fluoropolymer <1% Eye Irrit. 2; H319, Xi, R36

### 4. FIRST AID MEASURES

#### **General advice**

Consult a physician. Show this safety data sheet to the doctor in attendance.

### If inhaled

If breathed in, move person into fresh air. If not breathing give artificial respiration Consult a physician. In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

# In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

# If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

# 5. FIRE-FIGHTING MEASURES

# 5.1. Suitable extinguishing media

For small (incipient) fires, use media such as "alcohol" foam, dry chemical, or carbon dioxide. For large fires, apply water from as far as possible. Use very large quantities (flooding) of water applied as a mist or spray; solid streams of water may be ineffective. Cool all affected containers with flooding quantities of water.

### 5.2. Special protective equipment for fire-fighters

Wear self contained breathing apparatus for fire fighting if necessary.

### 5.3. Further information

# 6. ACCIDENTAL RELEASE MEASURES

# 6.1. Personal precautions

Use personal protective equipment. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

# 6.2. Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

# 6.3. Methods and materials for containment and cleaning up

Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations.

Date: 9.2.2014

7.	HANDLING AND STO	RAGE	
7.1.	Precautions for safe handling		
	Avoid contact with skin and eyes. Avoid inhalation of vapour or mist. Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.		
7.2.	5		a up or electrostatic charge.
1.2.	<b>Conditions for safe storage</b> Store in cool place. Keep container tightly closed in a dry and well-ventilated place. Containers wh		
			ht to prevent leakage. Hygroscopic.
8.	EXPOSURE CONTROLS/PERSONAL PROTECTION		
8.1.	Exposure limit values	6	
	HTP-values		<b>500</b> m a /m <sup>3</sup>
	Isopropyl alcohol	HTP-value 8 h, 200 ppm, HTP-value 15 min, 250 p	
	n-butyl acetate	HTP-value 8 h, 150 ppm,	720 mg/m <sup>3</sup>
	i baly abolato	HTP-value 15 min, 200 p	pm, 960 mg/m <sup>3</sup>
	DNEL		
	PNEC		
8.2.	Personal protective e		
	Respiratory protection		
			ators are appropriate use a full-face respirator with
			N 14387) respirator cartridges as a backup to
			neans of protection, use a full-face supplied air d and approved under appropriate government
		DSH (US) or CEN (EU).	a and approved under appropriate government
	Hand protection		
	•	e gloves have to satisfy the	specifications of EU Directive 89/686/EEC and the
		red from it. Handle with glov	
	Eye protection		
	Face shield and safety	glasses	
	Skin and body protection Choose body protection according to the amount and concentration of the dangerous substance at work place.		
			and concentration of the dangerous substance at the
	Hygiene measures	with good industrial bygion	a and apfaty practice. Weak hands before breaks and
	at the end of workday.		e and safety practice. Wash hands before breaks and
9.	PHYSICAL AND CHEMICAL PROPERTIES		
9.1.	General information		
	Appearance		colourless liquid
	Odour		alcohol-like
	Melting point		-89,5 ℃
	Boiling point		82,5 ℃
	Flashpoint		12 ℃
	Explosion limits		Lower explosion limit 2 % (V), upper 12,7 % (V)
	Vapour pressure		4,32 kPa (20,0 ℃), 5,87 kPa (25,0 ℃)
	Density Solubility		830 kg/m <sup>3</sup> Water asluble
	Solubility Partition coefficient:	n-octanol/water	Water soluble log Pow: 0,05
	Ignition temperature	II-OCIAIIOI/WALEI	10g Pow: 0,05 425 ℃
9.2.	Other information		
10.	STABILITY AND REA	CTIVITY	
	Chemical stability		
		ended storage conditions.	
	Conditions to avoid		
	Heat, flames and spar	ks.	
	Materials to avoid Oxidizing agents, Acid anhydrides, Aluminium, Halogenated compounds, Acids		
	Oxidizing agents, Acid	annyorides, Aluminium, Ha	alogenated compounds, Acids

#### Date: 9.2.2014

# Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Carbon oxides

# 11. TOXICOLOGICAL INFORMATION

# Acute toxicity

Isopropyl alcohol:

 $LD_{50}$  (Oral - rat) > 4400 mg/kg  $LD_{50}$  (Dermal - rabbit) > 12800 mg/kg

Skin corrosion/irritation
Skin - rabbit - Mild skin irritation
Serious eye damage/eye irritation
Eyes - rabbit - Eye irritation - 24 h
Respiratory or skin sensitization
no data available
Germ cell mutagenicity
no data available
Carcinogenicity
This product is or contains a component that is not classifiable as to its carcinogenicity based on its
IARC, ACGIH, NTP, or EPA classification. IARC: 3 - Group 3: Not classifiable as to its carcinogenicity to humans (2-Propanol)
Reproductive toxicity
no data available

Specific target organ toxicity - single exposure May cause damage to organs. Specific target organ toxicity - repeated exposure no data available Aspiration hazard no data available

## Potential health effects

Inhalation May be harmful if inhaled. May cause respiratory tract irritation. Vapours may cause drowsiness and dizziness.
Ingestion May be harmful if swallowed.
Skin May be harmful if absorbed through skin. May cause skin irritation.
Eyes Causes eye irritation.

### Signs and Symptoms of Exposure

Central nervous system depression, prolonged or repeated exposure can cause:, Nausea, Headache, Vomiting, narcosis, Drowsiness, Overexposure may cause mild, reversible liver effects. Additional Information RTECS: NT8050000

12.	ECOLOGICAL INFORMATION		
	<b>Toxicity</b> Toxicity to fish Toxicity to aquatic invertebrates Toxicity to algae	$LC_{50}$ (Pimephales promelas, fathead minnow, 96h) $EC_{50}$ (Daphnia magna, water flea, 24h) $EC_{50}$ (Desmodesmus subspicatus, green algae, 72h)	9640 mg/l 5102 mg/l > 2000 mg/l
	Persistence and degradability no data available Bioaccumulative potential no data available Mobility in soil no data available PBT and vPvB assessment no data available Other adverse effects no data available		
13.	DISPOSAL CONSIDERATIONS		
	Product		

### Date: 9.2.2014

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Observe all federal, state, and local environmental regulations. Contact a licensed professional waste disposal service to dispose of this material.

#### **Contaminated packaging** Dispose of as unused product

14	TRANSPORT INFORMATION

# 14.1. ADR/RID

UN-number: 1219 Class: 3 Packing group: II Proper shipping name: ISOPROPANOL

### 14.2. IMDG

UN-number: 1219 Class: 3 Packing group: II Marine pollutant: No Proper shipping name: ISOPROPANOL

### 14.3. IATA

UN-number: 1219 Class: 3 Packing group: II Proper shipping name: ISOPROPANOL

# 15. **REGULATORY INFORMATION**

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

16. OTHER INFORMATION

	-
Text of H-code(s) and R-phrase(s)	
Eye Irrit.	Eye irritation
Flam. Liq.	Flammable liquids
H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
STOT SE	Specific target organ toxicity - single exposure
F	Highly flammable
Xi	Irritant
R10	Flammable
R11	Highly flammable.
R36	Irritating to eyes.
R66	Repeated exposure may cause skin dryness or cracking.
R67	Vapours may cause drowsiness and dizziness.

#### **Further information**

The above information is believed to be correct but not all inclusive and shall be used only as a guide. The information in this document is based on the present state of knowledge and is applicable to the product with regard to appropriate safety precautions.