## SOFTCARE PAINT REMOVER

According to Regulation (EC) N° 1907/2006 modified by regulation (EU) N° 453/2010 Revision Date: August 16, 2016 Version: 1.0 / EN Print Date: August 17, 2016

### 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

### 1.1. Product identifier:

- **1.1.2 Trade name / designations** SOFTCARE MAALINPOISTOAINE SOFTCARE MÅLFÄRGBORTTAGNINGSMEDEL SOFTCARE PAINT REMOVER
- **1.1.3 Other means of identification:** GTIN (EAN) 6416977715047
- 1.2 Relevant identified uses of the substance or mixture and uses advised against

### 1.2.1 Relevant identified uses

Paint remover, ready to use. Solvent free.

Standard industrial classification (SIC): G Retail Trade Use categories (UC62): 09 Cleaning/washing agents

### 1.2.2 Uses advised against:

Do not ingest the product. Do not inhale the vapour of the product. Use only as directed on the label.

### **1.3** Details of the supplier of the safety data sheet:

Supplier (manufacturer/importer/only representative/downstream user/distributor): Oy Soft Protector Ltd PO Box 100 02761 Espoo FINLAND

E-Mail (competent person): qc@softcare.fi

 Information contact:

 Telephone
 +358 9 887 0430

 Fax
 +358 9 853 7302

National contact: Oy Soft Protector Ltd PO Box 100 02761 Espoo FINLAND

### 1.4 EMERGENCY TELEPHONE NUMBER:

**FINLAND:** Myrkytystietokeskus / Giftinformationscentralen / Poison Information Centre Telephone +358 9 471 977 Poison information (24 h)

### SOFTCARE PAINT REMOVER

According to Regulation (EC) N° 1907/2006 modified by regulation (EU) N° 453/2010 Revision Date: August 16, 2016 Version: 1.0 / EN

Print Date: August 17, 2016

#### 2. HAZARD CLASSIFICATION

#### 2.1. Classification of the substance or mixture:

Self classification based on the Dilution principle per Regulation (EC) No. 1272/2008 -Annex I - Section 1.1.3.1. Toxicity details of all substances in this mixture is known.

### 2.1.1 Classification according to Regulation (EC) No 1272/2008 [CLP/GHS]

Hazard Classes and Hazard Categories	Hazard Statements	Classification Procedure	
Eye Dam 1	H318	Dilution per 1.1.3.1	
Acute Tox 4	H302	Dilution per 1.1.3.1	
Skin Irrit 2	H315	Dilution per 1.1.3.1	
STOT SE 3	H335	Dilution per 1.1.3.1	
Aquatic Chronic 3	H412	Dilution per 1.1.3.1	

### 2.1.2 Classification according to 67/548/EEC or 1999/45/EC

(This product has first been launched after transition time - after June 1st 2015)

### 2.1.3 Additional information:

Full text of R-, H- and EUH-phrases: see section 16.

### 2.2. Label elements

### 2.2.1 Labeling according to Directive 1999/45/EC

Hazard components for labeling: Undeceth-5 (CAS 34398-01-1)

### Hazard pictograms



GHS05

Signal word: Danger

#### Hazard statements:

- H302 Harmful if swallowed
- H315 Causes skin irritation
- Causes serious eye damage H318
- May case respiratory irritation H335
- H412 Harmful to aquatic life with long lasting effects

#### **Precautionary statements:**

- Keep out of reach of children. P102
- P270 Do no eat, drink or smoke when using this product.
- P280
- Wear protective gloves/protective clothing/eye protection/face protection. P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact P305 + P351 + P338

### SOFTCARE PAINT REMOVER

### According to Regulation (EC) N° 1907/2006 modified by regulation (EU) N° 453/2010

Revision Date: August 16, 2016

Version: 1.0 / EN

Print Date: August 17, 2016

lenses if present and easy to do – continue rinsing. P310 Immediately call a POISON CENTER or doctor/physician

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell. P301 + P312 + P330 Rinse mouth.

P302 + P352 + P321 IF ON SKIN: Wash with plenty of soap and water.

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P264 Wash hands thoroughly after handling.

Take off contaminated clothing and wash before reuse. P362 + P364

P273 Avoid release to the environment.

### Special rules for supplemental label elements for certain mixtures:

According to EU Detergent Regulation 648/2004 the following statement shall be on the labels: "Contains >30 % non-ionic surfactants".

#### 2.3 Other hazards

Avoid breathing/inhaling spray/vapour/mist. Ensure adequate ventilation. Do not ingest.

Adverse human health effects and symptoms: May cause severe irritation to eyes, nose, and respiratory tract. May be harmful and irritating if inhaled. Ingestion may cause nausea, vomiting, upset stomach, gastrointestinal and/or systemic toxicological effects. Prolonged or repeated contact may dry lead to irritation (i.e. dermatitis) or sensitization. May be harmful if absorbed through the skin.

## SOFTCARE PAINT REMOVER

According to Regulation (EC) N° 1907/2006 modified by regulation (EU) N° 453/2010 Revision Date: August 16, 2016 Version: 1.0 / EN Print Date: A

Print Date: August 17, 2016

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

### 3.2. Mixtures

### 3.2.1 Description of the mixture

Alkaline detergent solution.

### 3.2.2 Hazardous Ingredients

This mixture contains the substances listed below, which are defined as dangerous substances or hazardous chemicals as defined in Regulation (EC) No. 1272/2008 and present in the mixture at concentration over the generic cut-off values as defined in Regulation (EC) No. 453/2010 Annex II 3.2.1.

CAS No.	EC No.	EC Index No	REACH No.	%	Name	Classification according to Regulation (EC) No 1272/2008
1356964-77-6	806-919-0	-	01-2120058432-61-xxxx	30 – 80 %	N,N-dimethyl 9-decenamide	Acute Tox. 4 - H302 Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 STOT SE 3 - H335 Aquatic Chronic 3 - H412
127036-24-2	603-182-5	-	Preregistered	40 – 60 %	Alcohol C11, ethoxylated	Eye Dam. 1 - H318

Note: Classification refers to classifications of substances at 100 % and are used as basis for classifying this mixture.

### 3.3 Additional Information

Full text of R-, H- and EUH-phrases: see section 16.

### SOFTCARE PAINT REMOVER

According to Regulation (EC) N° 1907/2006 modified by regulation (EU) N° 453/2010 Revision Date: August 16, 2016 Version: 1.0 / EN Print Date

Print Date: August 17, 2016

### 4. FIRST AID MEASURES

### 4.1 Description of first aid measures

### 4.1.1 General informations:

Consult a physician or poison control centre. Show this safety data sheet or the product packaging to the doctor in attendance.

### 4.1.1 Following inhalation:

Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical attention if irritation persist or systemic effects occur - if necessary, call a poison center or physician immediately.

### 4.1.4 Following skin contact:

Flush contaminated skin with plenty of water and soap, if possible. Remove contaminated clothing and shoes. Get medical attention if symptoms such as irritation occurs or persists. Professionally wash clothing before reuse. Clean shoes thoroughly before reuse.

### 4.1.2 Following eye contact:

Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention.

### 4.1.5 Following ingestion:

Rinse mouth with water. Give a glass of water to drink to dilute the material, if safe to do so. Never give anything by mouth to an unconscious person. DO NOT induce vomiting unless directed to do so by medical personnel.

Call a physician or poison control centre immediately and show this safety data sheet or the product packaging to the doctor in attendance.

### 4.1.6 Self-protection of the first aider:

No action shall be taken involving any personal risk. Always ensure adequate self-protection.

### 4.1.7 Notes for the doctor:

Undeceth-5 / Alcohol C11, ethoxylated (CAS 34398-01-1 / 127036-24-2) is the main substance of concern in this mixture.

### 4.2 Most important symptoms and effects, both acute and delayed

May cause severe irritation to eyes, nose, and respiratory tract. May be toxic if inhaled. Ingestion may cause i.e. nausea, vomiting and/or gastrointestinal effects. Prolonged or repeated contact may dry the skin and/or lead to irritation (i.e. dermatitis) and/or sensitization.

### 4.3 Indication of any immediate medical attention and special treatment needed

Treat supportively and symptomatically. Treatment should be directed at preventing absorption,

### SOFTCARE PAINT REMOVER

According to Regulation (EC) N° 1907/2006 modified by regulation (EU) N° 453/2010 Revision Date: August 16, 2016 Version: 1.0 / EN Print Date: August 17, 2016

administering to symptoms (if they occur), and providing supportive therapy.

### SOFTCARE PAINT REMOVER

According to Regulation (EC) N° 1907/2006 modified by regulation (EU) N° 453/2010

Revision Date: August 16, 2016 Version: 1.0 / EN

Print Date: August 17, 2016

### 5. FIRE-FIGHTING MEASURES

### 5.1 Extinguishing media:

**Suitable extinguishing media:** Use dry chemical, CO<sub>2</sub>, water spray (fog) or foam.

### Unsuitable extinguishing media: Do not use a direct water jet on the product.

### 5.2 Special hazards arising from the substance or mixture

### Hazardous combustion products:

As a result of combustion or thermal decomposition reactive sub-products may be created (CO<sub>2</sub>, CO, NO<sub>x</sub>, ...) that can become highly toxic and, consequently, can present a serious health risk. In a fire, a pressure increase may occur and the container may burst.

The mixture itself is not flammable.

### 5.3 Advice for fire-fighters

Wear positive-pressure self-contained breathing apparatus (SCBA) with full-face mask and full protective clothing.

### 5.4 Additional information:

The mixture itself is not flammable under recommended storage conditions.

### SOFTCARE PAINT REMOVER

According to Regulation (EC) N° 1907/2006 modified by regulation (EU) N° 453/2010 Revision Date: August 16, 2016 Version: 1.0 / EN Print Date: August 17, 2016

### 6. ACCIDENTAL RELEASE MEASURES

### 6.1 Personal precautions, protective equipment and emergency procedures

### 6.1.1 For non-emergency personnel

Avoid skin contact or inhalation of vapors. Ensure adequate ventilation of the workplace. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Avoid breathing vapor, spray, fog or mist. Take precautionary measures against static discharge. Provide adequate ventilation. Wear appropriate respirator. Put on appropriate protective equipment.

#### 6.1.2 For emergency responders

### Personal protective equipment:

Wear positive-pressure self-contained breathing apparatus (SCBA) with full-face mask and full protective clothing. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator. Put on appropriate protective equipment.

### 6.2 Environmental precautions:

Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (i.e. sewers, waterways, soil or air).

#### 6.3 Methods and material for containment and cleaning up

#### 6.3.1 For containment:

Stop leak if without risk with a dike, dam and/or barriers. Move containers from spill area. Approach the release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth. Pick up and transfer to properly labeled chemical waste container for disposal according to local and federal regulations. Contaminated absorbent material may pose the same hazard as the spilt product. Dispose of via a licensed waste disposal contractor.

### 6.3.2 For cleaning up:

**Small spills:** Absorb into inert absorbent material such as earth, sand, silica gel or other inert material and transfer into properly labeled suitable chemical waste containers for disposal. Ventilate and wash contaminated area thoroughly. First rinsing water to be disposed according to local regulations.

**Large spills:** Dike or dam to contain for later disposal. Pick up and transfer to properly labeled plastic chemical waste containers. Ventilate and wash contaminated area thoroughly. First rinsing water to be disposed according to local regulations. Contact emergency authorities.

Always dispose of in a site approved and authorized for the treatment of chemical waste for disposal.

### 6.3.3 Other information:

Absorbent material used may contain similar dangers than the spills or leaks of the product itself.

#### 6.4 Reference to other sections

For exposure control and personal protection measures, see section 8.

## SOFTCARE PAINT REMOVER

According to Regulation (EC) N° 1907/2006 modified by regulation (EU) N° 453/2010 Revision Date: August 16, 2016

Version: 1.0 / EN

Print Date: August 17, 2016

For considerations of waste disposal, see section 13.

### SOFTCARE PAINT REMOVER

According to Regulation (EC) N° 1907/2006 modified by regulation (EU) N° 453/2010

Revision Date: August 16, 2016 Version: 1.0 / EN

Print Date: August 17, 2016

### 7. HANDLING AND STORAGE

### 7.1 Precautions for safe handling

### 7.1.1 Protective measures:

Do not breathe vapor, fog, spray or mist of this mixture. Handling this product must comply with proper care and caution, in particular with regard to the irritation. Do not ingest. Avoid contact with eyes and skin. Keep in the original container. Keep tightly closed when not in use. Empty containers retain product residue and can contain characteristic hazardous waste. Dispose according to local, state and Federal regulations. Do not reuse containers.

#### Fire preventions:

The mixture itself is generally not flammable under recommended storage conditions.

#### Aerosol and dust generation preventions:

Avoid breathing vapor, spray, fog or mist. Use only with adequate ventilation. Wear appropriate respirator.

### **Environmental precautions:**

Avoid discharge to sewer, surface water and groundwater, do not allow to penetrate into the soil.

### 7.1.2 Advice on general occupational hygiene

#### 7.2 Conditions for safe storage, including any incompatibilities

#### Technical measures and storage conditions:

Store in accordance with local regulations. Store in a segregated and approved area. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials, food and drink. Store locked up. Separate from oxidizing materials. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

#### Packaging materials:

Store in original containers.

#### 7.3 Specific end uses:

Not applicable.

### SOFTCARE PAINT REMOVER

According to Regulation (EC) N° 1907/2006 modified by regulation (EU) N° 453/2010 Revision Date: August 16, 2016 Version: 1.0 / EN

Revision Date: August 16, 2016 Version: 1.0 / EN Print Date: August 17, 2016

### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

### 8.1 Control parameters

### 8.1.1 Occupational Exposure Limits (OEL; HTP 2014 Values)

OEL values of 2-aminoethanol: 1 ppm (8 h TWA) 3 ppm (15 min)

2,5 mg/m3 (8 h TWA) 7,6 mg/m3 (15 min)

### 8.1.3 Exposure limits at intended use:

Refer to section 8.1.1. for OEL's per concentrations of impurities in workplace air known to be hazardous (HTP values) as published by the Ministry of Social Affairs and Health, Finland.

Avoid discharging large amounts directly to sewer, surface water and groundwater, do not allow to penetrate into the soil.

### 8.1.4 DNEL/PEC-values

### DNEL values (DNEL - "Derived No-Effect Level")

No information available on this mixture.

### 8.1.5 Risk management measures according to used control banding approach

No information available on this mixture.

### 8.2 Exposure Controls

### 8.2.1 Appropriate engineering controls:

Handle in accordance with good industrial hygiene and safety practices. Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

### 8.2.2 Personal protection equipment:

- **8.2.2.1 Eye / Face protection:** Avoid contact with eyes. Safety glasses with side-shields conforming to EN166 Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU) should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts.
- **8.2.2.2 Skin protection:** Avoid contact with skin. Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

**Hand protection:** Avoid contact with skin. If risk assessment this is necessary, chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products. The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

**Body protection:** Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

#### 8.2.2.3 Respiratory protection:

### SOFTCARE PAINT REMOVER

### According to Regulation (EC) N° 1907/2006 modified by regulation (EU) N° 453/2010

Revision Date: August 16, 2016

Version: 1.0 / EN

Print Date: August 17, 2016

Breathing vapour, spray or mist of the product must be avoided. Ensure adequate ventilation. Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

### 8.2.2.4 Thermal hazards:

Thermal breakdown might lead to formation of irritating vapors and/or fumes.

### 8.3. Environmental exposure controls:

### Measures related to consumer uses of the substance (as such or in mixtures):

Avoid discharging large amounts directly to sewer, surface water and groundwater, do not allow to penetrate into the soil.

## SOFTCARE PAINT REMOVER

According to Regulation (EC) N° 1907/2006 modified by regulation (EU) N° 453/2010 Revision Date: August 16, 2016 Version: 1.0 / EN Print Date: August 17, 2016

### 9. PHYSICAL AND CHEMICAL PROPERTIES

### 9.1 Important health, safety and environmental information

### 9.1.1 Appearance

Physical state: Liquid Colour: Colourless (clear) Odour: Characteristic amine-like

### 9.2.2 Safety relevant basic data

Parameter	Value	Remark
рН	9 - 11	Mixture
Melting point/range (°C)	~ 0 °C	Mixture
Initial boiling point/range (°C)	~ 100 °C	Mixture
Flash point (°C)	This mixture is not flammable	Mixture
Vapour pressure (kPa)	4.0 kPa (20 °C)	Mixture
Vapour density (air=1)	No data available on this mixture	Mixture
Density (g/cm3)	~ 1 g/cm <sup>3</sup>	Mixture
Water solubility	Soluble in water Partially miscible in hydrocarbons	Mixture
Partition coefficient n-Octanol/Water (log Po/w)	No data available on this mixture	Mixture
Viscosity, dynamic (mPas)	≤ 100 mPa·s	Mixture

### 9.2 Physical hazards:

Explosives: Not applicable Flammable gases: Not applicable Flammable aerosols: Not applicable Oxidizing gases: Not applicable Gases under pressure: Not applicable Flammable liquids: Not applicable Flammable solids: Not applicable Self-reactive substances and mixtures: Not applicable Pyrophoric liquids Pyrophoric solids: Not applicable Self-heating substances and mixtures: Not applicable Substances or mixtures which, in contact with water emit flammable gases: Not applicable Oxidizing liquids: Not applicable Oxidizing solids: Not applicable Oxidizing solids: Not applicable Organic peroxides: Not applicable Metal corrosion: Not applicable

### 9.3 Other safety information

Properties of explosive atmospheres (mixtures): Not applicable

Physical-chemical properties of nanoparticles: Not applicable

Limiting oxygen concentration No data available on this mixture

### SOFTCARE PAINT REMOVER

According to Regulation (EC) N° 1907/2006 modified by regulation (EU) N° 453/2010

Revision Date: August 16, 2016

Version: 1.0 / EN

Print Date: August 17, 2016

Bulk density Approx. 1 g/cm3

**Solubility in different media** Soluble in water Partially miscible in hydrocarbons

Stability in organic solvents and identity of relevant degradation products No data available on this mixture

**Evaporation rate** No data available on this mixture

**Conductivity** No data available on this mixture

Surface tension

No data available on this mixture

Dissociation constant in water (pKa) No data available on this mixture

**Oxidation-reduction Potential** No data available on this mixture

Fat solubility (solvent – oil to be specified) No data available on this mixture

### SOFTCARE PAINT REMOVER

According to Regulation (EC) N° 1907/2006 modified by regulation (EU) N° 453/2010 Revision Date: August 16, 2016 Version: 1.0 / EN Print Date: August 17, 2016

### 10. STABILITY AND REACTIVITY

### 10.1 Reactivity

Presents no significant reactivity hazard, by itself or in contact with water. Avoid contact with strong acids, alkalis, explosives or oxidizing materials.

### 10.2 Chemical stability

Stable under normal ambient conditions between 8 °C and 48 °C.

### 10.3 Possibility of hazardous reactions

Under recommended conditions of storage and use, hazardous reactions are not known to occur.

Thermal breakdown might lead to formation of irritating vapors and/or fumes.

### 10.4 Conditions to avoid

High temperatures. Freezing temperatures. Exposure to direct sunlight.

### 10.5 Incompatible materials:

Reactive or incompatible with the following materials: oxidizing materials, peroxides (i.e. Sodium Hypochlorite, Perchloric Acid, Chrome(VI), Oxide and/or any Perchlorates). Explosives. Strong acids. Strong alkalis. Ammonia.

### **10.6 Hazardous decomposition products:**

No dangerous decomposition products known to date in the recommended storage conditions.

Thermal breakdown might lead to formation of irritating vapors and/or fumes.

### SOFTCARE PAINT REMOVER

According to Regulation (EC) N° 1907/2006 modified by regulation (EU) N° 453/2010 Revision Date: August 16, 2016 Version: 1.0 / EN Print Date: A

Print Date: August 17, 2016

### 11. TOXICOLOGICAL INFORMATION

### **11.1** Toxicokinetics, metabolism and distribution

May cause severe damage and/or irritation to eyes, skin, nose, and respiratory tract. May be harmful, irritating or toxic if inhaled. Ingestion may cause nausea, vomiting, upset stomach, gastrointestinal and/or toxicological effects. Prolonged or repeated contact may dry lead to irritation (i.e. dermatitis) or sensitization. May be harmful if absorbed through the skin. Exposure to this product with the use of proper personal protective equipment (PPE) is not expected to contribute, worsen or aggravate any pre-existing medical condition.

### 11.2 Information on toxicological effects

#### 11.2.1 Substances

#### Acute toxicity

	Effect Dose	Method	Remark
Acute oral toxicity	ATE <sub>mix</sub> = 688 mg/kg	"ATE" Calculation	Mixture

### Skin corrosion/irritation:

Mixture: May cause skin corrosion according to the CLP Classification.

### Serious eye damage/irritation:

Mixture: May cause serious skin irritation or eye damage.

#### **Inhalation:** Mixture: Breathing vapor, spray or mist may be harmful.

#### Skin sensitization:

Mixture: May cause skin sensitization.

### CMR effects (Carcinogenity, Mutagenicity and Toxicity for Reproduction)

**Carcinogenicity:** Substances contained in this product has not been identified to belong to any group by IARC.

in-vitro Mutagenicity: Not available.

Reproductive Toxicity: Not available.

Summarized evaluation of the CMR properties: Not available.

### Specific target organ toxicity (STOT) – single exposure

May cause severe irritation to eyes, nose, and respiratory tract. Specific Target Organs are not known for this mixture by the date.

### 11.4 Other information

This products should never be ingested. Keep away from food and drink.

## SOFTCARE PAINT REMOVER

According to Regulation (EC) N° 1907/2006 modified by regulation (EU) N° 453/2010 Revision Date: August 16, 2016 Version: 1.0 / EN Print Date: A

Print Date: August 17, 2016

### 12. ECOLOGICAL INFORMATION

### 12.1 Toxicity

Negligible ecotoxicity.

### 12.2 Persistence and degradability

Readily biodegradable.

### 12.3 Bioaccumulative potential

To date, according to our knowledge, main components are readily biodegradable in the environment.

### 12.4 Mobility in soil

Generally with waters.

### 12.5 Results of PBT and vPvB assessment

No data available for this mixture

### 12.6 Other adverse effects:

No data available for this mixture

### **12.7** Additional information:

No data available for this mixture

### SOFTCARE PAINT REMOVER

According to Regulation (EC) N° 1907/2006 modified by regulation (EU) N° 453/2010

Revision Date: August 16, 2016 Version: 1.0 / EN

Print Date: August 17, 2016

### 13. DISPOSAL CONSIDERATIONS

### 13.1 Waste treatment methods

### 13.1.1 Product / Packaging disposal:

The generation of waste should be avoided or minimized wherever possible. Any quantities of waste product residues should not be disposed of via the foul sewer but processed in a suitable and authorized waste treatment plant. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.

#### 13.1.2 Waste treatment options:

Must be incinerated at an approved center while complying with local regulations. Avoid disposal through the sewer and the dispersion in the environment.

### 13.1.2 Other disposal recommendations:

Empty containers should be taken to a site approved for the treatment of waste for recycling or disposal.

### **13.2 Additional information:**

Not applicable.

## SOFTCARE PAINT REMOVER

According to Regulation (EC) N° 1907/2006 modified by regulation (EU) N° 453/2010

Revision Date: August 16, 2016 Version: 1.0 / EN

Print Date: August 17, 2016

### 14. TRANSPORT INFORMATION

### 14.1 Land transport (ADR/RID):

Not classified as dangerous goods according to ADR/RID.

### 14.2 Sea transport (IMDG-Code):

Not classified as dangerous goods according to IMDG-Code.

### 14.3 Air transport (ICAO-IATA/DGR):

Not classified as dangerous goods according to ICAO-IATA/DGR.

### 14.4 Special precautions for user:

Not applicable.

### 14.4 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code:

Not applicable.

### 14.5 Additional information

Consumer commodity.

### SOFTCARE PAINT REMOVER

According to Regulation (EC) N° 1907/2006 modified by regulation (EU) N° 453/2010Revision Date: August 16, 2016Version: 1.0 / ENPrint Date: August 17, 2016

### 15. **REGULATORY INFORMATION**

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- 15.1.1 EU regulations

European Regulations (EC) N° 1907/2006, (EC) N° 1272/2008, (EC) N° 453/2010, (EC) N° 2015/830.

### 15.2 Chemical Safety Assessment:

Chemical safety assessment (CSA) has not been carried out for this mixture.

### SOFTCARE PAINT REMOVER

According to Regulation (EC) N° 1907/2006 modified by regulation (EU) N° 453/2010

Revision Date: August 16, 2016 Version

Version: 1.0 / EN

Print Date: August 17, 2016

### 16. OTHER INFORMATION

### 16.1 Indication of changes

July 28th, 2016 First release - English - Version 1.0

### 16.2 Abbreviations and acronyms:

LC50 LD50 MDG MSDS	International Carriage of Dangerous Goods by Road Acute Toxicity Estimate Chemical Abstracts Service Classification, Labelling and Packaging Chemical Safety Assessment Chemical Safety Report Derived No Effect Level European Community Effective Concentration, 50% European Economic Community International Civil Aviation Organization/International Air Transport Association Lethal Concentration, 50% Lethal Dose, 50% International Maritime Dangerous Goods Material Safety Data Sheet
MSDS	Material Safety Data Sheet
PBT	Persistent, Bioaccumulative and Toxic substance
PEL	Permissible Exposure Level
PNEC	Predicted No Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
STEL	Short-Term Exposure Limit
STOT	Specific Target Organ Toxicity
TLV	Threshold Limit Value

### 16.3 Key literature references and sources for data

ECHA REACH Dataset, European Chemicals Agency, Finland Upstream Suppliers' Material Data Sheets' (MSDS), Unpublished Existing Safety Data Sheet, Oy Soft Protector Ltd, Finland HTP-Arvot 2014, Occupational Safety and Health Administration, Finland TOKEVA 2012, The Emergency Services College, Finland

### 16.4 Classification for mixtures and used evaluation method

Bridging via dilution method of the mixture based on the classification of hazardous component(s).

### 16.5 Relevant R-, H- and EUH-phrases (number and full text):

Eye Dam 1 Acute Tox 4 Acute Tox 4	Eye Damage - Category 1 Acute Toxicity - STOT - Category 4 - INHALATION Acute Toxicity - STOT - Category 4 - ORAL
Skin Irrit 2	Skin Irritation - Category 2
STOT SE 3	Specific Target Organ Toxicity, Single Exposure - Category 3
Aquatic Chronic 3	Chronic Aquatic Toxicity - Category 3
H302	Harmful if swallowed
H315	Causes skin irritation
H318	Causes serious eye damage
H335	May case respiratory irritation
H412	Harmful to aquatic life with long lasting effects
P270	Do no eat, drink or smoke when using this product.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove

### SOFTCARE PAINT REMOVER

According to Regulation (EC) N° 1907/2006 modified by regulation (EU) N° 453/2010

Revision Date: August 16, 2016Version: 1.0 / ENPrint Date: August 17, 2016P310Contact lenses if present and easy to do – continue rinsing.<br/>Immediately call a POISON CENTER or doctor/physician<br/>IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel<br/>unwell. Rinse mouth.P302 + P352 + P321IF ON SKIN: Wash with plenty of soap and water. Specific treatment (see ...<br/>on this label).<br/>Do not breathe dust/fume/gas/mist/vapours/spray.

P260Do not breathe dust/fume/gas/mist/vapours/spray.P264Wash hands thoroughly after handling.P362 + P364Take off contaminated clothing and wash before reuse.

P273 Avoid release to the environment.

### 16.6 Training advice:

The Safety Data Sheet is intended to provide information for a health and safety assessment of the material during transport, storage, or applied in the workplace. Attention to users is drawn to hazards resulting from improper use of the product.

### **16.7 Further information:**

Although all the information and recommendations set forth herein (hereinafter "Information") are presented in good faith and believed to be correct on the revision date hereof, Oy Soft Protector Ltd or any of its subsidiaries makes no representations as to the completeness or accuracy thereof. Information is supplied upon the condition that the persons receiving same will make their own determination for the suitability for the purposes prior to use. In no event will Oy Soft Protector Ltd or any of its subsidiaries be responsible for damages of any nature whatsoever resulting from the use of or reliance upon Information or the mixture. OY SOFT PROTECTOR LTD DOES NOT OFFER ANY REPRESENTATIONS, WARRANTIES OR CONTRACTS, EITHER EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE ARE MADE WITH RESPECT TO INFORMATION OR TO THE PRODUCT TO WHICH INFORMATION REFERS.